

Financial Disclosures

Neither Scott Harris, M.D., M.P.H. or Nancy Bishop, R.Ph. have financial relationships with a commercial interest to disclose.

alabama**publichealth**.go

Objectives

- > Describe opioid prescribing trends since 2018.
- > Explain accessing the PDMP and how it can be used as a clinical tool.
- > Explain specific features of the Alabama PDMP.

The Basics of the Alabama PDMP

- > Legislation creating the controlled substance database was signed into law in 2004.
- > Began collecting prescription information in 2006.
- > Database includes Schedules II, III, IV, and V, per the Alabama Controlled Substance List.
- There are substances scheduled in Alabama but not federally: gabapentin, all products containing butalbital, codeine cough syrups, others.


alabama**publichealth**.gov

The Basics of the Alabama PDMP (continued)

- Most common error is incorrect Drug Enforcement Administration (DEA) number entered by pharmacies, such DEA of another prescriber or a fake DEA number.
- Pharmacies and dispensing prescribers are required to submit dispensations within 24 hours of dispensing (daily on business days).
- ➤ Alabama data shares with 37 states (all surrounding states), the District of Columbia, military services, and Puerto Rico.
- > Contains 5 years plus current year of prescription information.

alabama**publichealth**.gov

Number of AL BME Licensees with an Alabama PDMP Account: 2018 through 2023 (includes Delegates)



Number of Patient History Searches by AL BME Licensees 2018 through 2023 (includes Delegates)




Number of Searches by AL BME licensees via Electronic Health Record (EHR)




Opioids: Number of Prescriptions, Quantity, and Morphine Milligram Equivalents (MME)



Number of Prescriptions: 120 or Greater Daily Morphine Milligram Equivalents (MME)



Provisional Drug Overdose Death Counts



Log In Format St. Character St. C

Alabama PDMP	
Website: alabama.pmpaware.net	
➤ Log in to existing account. ➤ Create an account.	
>Email address will be the account ID and can be personal email address or one	
associated with employer. > Requires email verification.	
➤ Reset password.	
➤ Two methods: ➤ Email with link will be sent to address affiliated with account.	
➤ Code sent to mobile number if one is listed in the user's profile.	
➤ System requires password reset every 90 days.	
alabama publichealth .gov	
Appropriate Use of PDMP Data	
Any person who intentionally makes an unauthorized disclosure of information	
contained in the controlled substances prescription database shall be guilty of a Class A misdemeanor. Any person or entity who intentionally obtains	
unauthorized access to or who alters or destroys information contained in the controlled substances database shall be guilty of a Class C felony.	
(Act 2004-443, p. 781, § 7)	
The reports generated from the controlled substances database contain	
confidential information, including patient identifiers, and are not public records. The information should not be provided to any other persons or entity.	
alabama publichealth .gov	
Best Practices	
 PDMP reports should not be placed in the patient's medical record (paper or electronic) or given to the patient. 	
PDMP information is not subject to subpoena or discovery in civil proceedings.	
The prescriber/pharmacist can state in the medical record that a PDMP report was reviewed.	-
The patient's prescriber/pharmacist can discuss PDMP results with the patient's other prescribers/pharmacists.	-
alabama publichealth. gov	

PDMP	Report	Disc	laimei
-------------	--------	------	--------

ADPH makes no claims, promises, or guarantees the accuracy, completeness, or adequacy of the contents of the Recipient Query Report, and expressly disclaims liability for errors and omissions in the contents. The records herein are based on information submitted by pharmacies and dispensing health care practitioners. Records on this report should be verified before any clinical decisions are made or actions taken.

Multiple state queries are limited to exact match on last name, first name, and date of birth (DOB).

alabama**publichealth**.gov

Program Features

- >Overdose risks scores provided for all patients.
- > Prescribers can search for prescriptions dispensed under his/her DEA number (MyRx).
- ➤ Quarterly Prescriber Reports.
- > EHR Integration: Allows prescribers to access PDMP directly from the EHR.

alabama**publichealth**.gov

Overdose Risk Scores

- ➤ Scores range from 000-999.
- ➤ Overall Unintentional Overdose Risk Score
- Scores for three different drug types:

 Narcotics.
 Sedatives.
 Stimulants.
- > Calculation based on the number of:
 - Providers.
 Pharmacies.
 - · MME.
 - Overlapping prescriptions.
 Other parameters.
- > Last number is the number of active prescriptions for that drug type.

_	
6	

part generated on 12/04/2022. Report Class F	tange: 12/04/2021 - 12/04/2023		○ POF Report ○ Pope ○ Pope
WINE SCORE MODEL			State mancators (0)
	KEY COMMISSIONS EXCHORS TO OVERDOSE RESK SCORE MODES.		
ABOVE MARRIOE	Greater than six disponsations	Total	
420	Sensor - Named and American	F Degree	
NAME OF OWNER	Montain of thigh that acrosts a percenting benefitions between the		
451 179 900	Med		
491 170 000	Total days supply of short acting drags	438	
Narcotic 🚾 Digrenosphine 👅 Sedeb	o 🚾 Odrovlant 🔯 Other		
Narcotic Digranosphine Sedativ			
Narcotic Digranophina Scholari	Sharkert Dober	_	
Narrotic Deprencyphne Section Section	no tr	(LME) Prescribed ©	© Lean have forwise graph
Placecolic Degranosyphina Sociative Practical Sociative Practical Sociative Practical Sociative	the Over Time Lar Stage Law St Organization 3.8.7	(EME) Prescribed Or Deputant 90 Days Load	© Learn how to use graph or Firms There Lond Y Yann
President Indicate Indicate	Tribed Over Time Land 2 Vises Land 3 Vises		Viser Leni 2 Visers

MyRx Report


- DEA numbers displayed include the user's DEA number(s) and the collaborating mid-level prescriber's DEA number.
- Shows all prescriptions dispensed under the user's DEA number(s).
- Feature that allows physicians to monitor collaborating midlevel prescribers.
- Located under RxSearch (Click on Menu, then MyRx).
- MyRx History: MyRx Reports requested by user.



Prescriber Reports

- > Prescriber reports are issued quarterly to all who have prescribed at least one controlled substance in the previous 6 months.
- Can be accessed when the user logs into his/her PDMP account (via Aware). No one except the user has access to his/her Prescriber Report. PDMP staff will access the report only upon the prescriber's request when clarification is needed.
- > Reports are now interactive with features that allow the prescriber to drill down to see specific patient information.

alabama**publichealth**.gov



EHR Integration

- ➤PDMP integration is available for most EHRs and pharmacy management software. Check with your vendor or go to: https://www.alabamapublichealth.gov/pdmp/ehr_integration.html
- > Funding has been secured for Fiscal Year 2025 (through September 2025).
- > Saves time and improves workflow.
- ➤ As of July 12, 2024: 875 entities have integrated the PDMP into their EHR/pharmacy management software system, and 238 are pending.

➤ Searches include Georgia, Mississippi, Florida, Louisiana. Must access through Aware for other states. Hopefully, Tennessee will be added soon. ➤ The other states' PDMP must approve each entity for data sharing via EHR access. Let PDMP staff know if GA, MS, FL, and/or LA have not approved EHR request. New Feature ➤ Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. ➤ Disclaimer: Does not necessarily indicate an overdose occurred. ➤ Is not used in overdose risk score calculation.	through Aware for other states. Hopefully, Tennessee will be added soon. ➤ The other states' PDMP must approve each entity for data sharing via EHR access. Let PDMP staff know if GA, MS, FL, and/or LA have not approved EHR request. New Feature ➤ Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. ➤ Disclaimer: Does not necessarily indicate an overdose occurred. ➤ Is not used in overdose risk score calculation.	EHR Integration	
New Feature Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. Disclaimer: Does not necessarily indicate an overdose occurred.	New Feature Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. Disclaimer: Does not necessarily indicate an overdose occurred.	through Aware for other states. Hopefully, Tennessee will be added	
New Feature Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. Disclaimer: Does not necessarily indicate an overdose occurred. Is not used in overdose risk score calculation.	New Feature Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. Disclaimer: Does not necessarily indicate an overdose occurred. Is not used in overdose risk score calculation.	➤ The other states' PDMP must approve each entity for data sharing via EHR access. Let PDMP staff know if GA, MS, FL, and/or LA have not	
New Feature Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. Disclaimer: Does not necessarily indicate an overdose occurred. Is not used in overdose risk score calculation.	New Feature Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. Disclaimer: Does not necessarily indicate an overdose occurred. Is not used in overdose risk score calculation.	approved Environments.	
 Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. ▶ Disclaimer: Does not necessarily indicate an overdose occurred. ▶ Is not used in overdose risk score calculation. 	 Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. ▶ Disclaimer: Does not necessarily indicate an overdose occurred. ▶ Is not used in overdose risk score calculation. 	alabama publicheaith .gov	
 Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. ▶ Disclaimer: Does not necessarily indicate an overdose occurred. ▶ Is not used in overdose risk score calculation. 	 Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. ▶ Disclaimer: Does not necessarily indicate an overdose occurred. ▶ Is not used in overdose risk score calculation. 		
 Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. → Disclaimer: Does not necessarily indicate an overdose occurred. → Is not used in overdose risk score calculation. 	 Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. → Disclaimer: Does not necessarily indicate an overdose occurred. → Is not used in overdose risk score calculation. 		
 Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. Disclaimer: Does not necessarily indicate an overdose occurred. ▶ Is not used in overdose risk score calculation. 	 Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. Disclaimer: Does not necessarily indicate an overdose occurred. ▶ Is not used in overdose risk score calculation. 		
 Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. → Disclaimer: Does not necessarily indicate an overdose occurred. → Is not used in overdose risk score calculation. 	 Notification: Patient was administered an opioid overdose reversal agent (naloxone or nalmefene) by EMS on [date]. → Disclaimer: Does not necessarily indicate an overdose occurred. → Is not used in overdose risk score calculation. 		
reversal agent (naloxone or nalmefene) by EMS on [date]. > Disclaimer: Does not necessarily indicate an overdose occurred. > Is not used in overdose risk score calculation.	reversal agent (naloxone or nalmefene) by EMS on [date]. > Disclaimer: Does not necessarily indicate an overdose occurred. > Is not used in overdose risk score calculation.	New Feature	
occurred. ➤ Is not used in overdose risk score calculation.	occurred. ➤ Is not used in overdose risk score calculation.		
alabama publichealth .gov ²⁶	alabama publichealth .gov ²⁶	➤ Is not used in overdose risk score calculation.	
alabama publichealth. gov ²⁶	alabama publichealth .gov		
		alabama publichealth .gov	

Helpful Hints

- $\blacktriangleright \mbox{The patient's last name, first name, and DOB are required fields.}$
- May enter partial first and last name:
 At least three letters.
 Common names may generate multiple patients (example: Wil for Williams, Williamson, etc.).
- May enter a DOB range. Helps find patients who may have been entered with a different DOB but, again, be careful with common names.
- \blacktriangleright Hyphenated names can be tricky. Using the Partial Name feature may be helpful.
- \blacktriangleright Liquid quantities are measured per ml which can make quantities look high.

More Helpful Hints

- > Let PDMP staff know if two patients are consolidated in error.
- Multiple state searches via Aware: Matches only same first and last name and DOB so common names may include more than one patient. Important to discuss with patient before making assumptions.
- Password resets: Sometimes fire walls block PDMP emails. There is an option to reset your password via text when a cell number is listed in your PDMP profile.
- Mid-level prescribers: Inform PDMP staff when new collaborating practice agreement is approved by AL BME. Mid-level prescribers must have an active QACSC to qualify for PDMP access as NP or PA.

alabama**publichealth**.gov

PDMP Townhall Training

- 2024 schedule:
 - Virtual- December 16th 5:30 PM -7:30 PM
- 2025 schedule:
 - Auburn (in-person) April 9th
 - Boxed dinner at 5:30; program begins at 6:00
 - Cost: \$25.00
- Deep dive into using PDMP as a clinical tool
- Two hours of continuing education
- Registration: https://aub.ethosce.com/

alabama**publichealth**.go

Other Continuing Education Opportunities

- Dispenser Compliance Training
 - Online available in early fall 2024
 - Registration: https://aub.ethosce.com/
- Substance Misuse Summit
 - · Montgomery: January 14, 2025
 - Six hours of CE/CME
 - $\bullet \ \ Registration: \underline{https://cmetracker.net/USAL/Publisher?page=pubOpen\#}$
- Prescriber Compliance Training
 - Online available in Summer 2025
- All continuing education programs: https://aub.ethosce.com/

AlaHOPE Curriculum

- Partnership with JCDH, Department of Health Services Administration at UAB School of Health Professions, and ALBME.
- Funded by CDC Overdose Data to Action grant and goal of Prescriber/Dispenser Committee of Opioid Overdose and Addiction Council.
- "Alabama Health Professionals' Opioid and Pain Management Education" = AlaHOPE.
- https://aub.ethosce.com/alahope/group/alahope
- Multi-disciplinary opioid and pain management curriculum for AL Health Professional Schools and current health professionals.
- Continuing education credit.

ALA**H@PE**

alabama**publichealth**.gov

Connect Alabama App: Information and Resources Locator

NALOXONE
- O
1500
- Continue
WHAT is an Opioid?
A drug such as fentanyl, heroin, or prescription pain medication. Opioids can be very addictive.
 Are you or someone you know struggling with opioid use? Visit out Recovery Resources page to find help at htt by/self-recovery
WHAT is Naloxone?
 Natoxone is a prescription drug that reverses an optioid overdose.
 It cannot be used to get high and is not addictive.
WHO can be trained to use
Natoxone? Anyone worried that a community member or
loved one is at risk for overdosing on an opioid.
 Anyone who works with populations at risk for overdosing on an opioid.
Any quantitions?
monthle en Especial

11

C	tact	ı £		
ιnr	TACT.	INTOI	m	TIOT

Alabama PDMP Email address: pdmp@adph.state.al.us Phone: 334-206-5226 Website: alabamapublichealth.gov/pdmp

Pharmacy Division Team:

Nancy Bishop, RPh, Pharmacy Director and PDMP Director
Rachel Kiefer, Pharm D., Assistant Pharmacy Director, OD2A Prevention
Manager, and Hospital Prepareddness Program Director
Brittany Stewart, CPhT, PDMP Administrator
Vicki Walker, CPhT, PDMP Compliance Program Administrator
Lacey Peacock, CPhT, 340B Program Coordinator and Naloxone Distribution
Courtnay Cleveland, RN, OD2A Activity Manager